

<HTML5>

*Adapted from
Timothy Fisher*

HTML5 History

- Specification of HTML published by W3C
- W3C HTML5 Spec => 900+ pages
- Work started on HTML5 in late 2003
- First Working Draft published January 2008
- Expected Candidate Recommendation - 2012
- W3C Recommendation - 2022 or later *

* Requires 2 100% complete and fully interoperable implementations

<http://dev.w3.org/html5/spec/>

HTML5 Compatibility

HTML5Test.com scores browsers according to the following criteria:

- Parsing Rules
- Canvas
- Video
- Audio
- Local Devices
- Elements
- Forms
- User Interaction
- Microdata
- WebApplications
- Geo Location
- WebGL
- Communication
- Files
- Storage
- Workers

HTML5 Compatibility (out of 555 pt)

<http://www.HTML5test.com/>

Desktop

	Chrome	Opera	Firefox	Edge	Safari
Upcoming	67 528		60 497	18 496	11.2 477
Current	66 528	45 518	59 491	17 492	11.1 471
					Internet Explorer
					11 312


Tablet

	Chrome	Opera Mobile	Edge	iOS	Firefox Mobile
Upcoming			18 496		
Current		37 481	17 492	10.3 415	
Older	52 486	12.10 289	16 476	10.2 391	48 466

Smartphones

	Chrome	Samsung Internet	Opera Mobile	Edge	iOS	Firefox Mobile
Upcoming						
Current		6.2 517	37 481	14 444	10.3 415	
Older	52 486	2.0 418	12.10 289	13 417	10.2 391	48 466

HTML5 Compatibility



Backward compatibility

Framesets

```
<!DOCTYPE html>
```

```
<html>
```

```
<frameset cols="25%,*,25%">
```

```
<frame src="frame_a.htm">
```

```
<frame src="frame_b.htm">
```

```
<frame src="frame_c.htm">
```

```
<noframes>Sorry, your browser does not handle  
frames!</noframes>
```

```
</html>
```

NOT SUPPORTED IN HTML5!

Progressive Enhancement

- Use HTML5 when available
- Fallback to a different mechanism when not available
- Supported by many libraries including jQuery.

if HTML5 video is not supported, flash video will load

```
<video controls width="500">  
  <source src="video.ogv" />  
  <source src="video.mp4" />  
  <embed src="http://blip.tv/play/gcMV" type="application/x-shockwave-flash"  
    width="1024" height="798" allowscriptaccess="always"  
    allowfullscreen="true"></embed>  
</video>
```


Semantic Tags

More Semantic HTML Tags

`<header>`

`<nav>`

`<aside>`

`<section>`
`<article>`

`<footer>`


More Semantic HTML Tags

Output

```
<output name="result"></output>
```

Progress

```
<progress id="p" max=100><span>0</span>%</progress>
```



More Semantic HTML Tags

Meter

Storage space usage:

```
<meter value=6 max=8>6 blocks used (out of 8 total)</meter>
```

Voter turnout:

```
<meter value=0.75></meter>
```

Tickets sold:

```
<meter min="0" max="100" value="75"></meter>
```

- Meter: empty
- Meter: full
- Meter: "a bit"
- Preferred usage
- Too much traffic
- Optimum value
- Javascript



More Semantic HTML Tags

Details and Summary

<details>

<summary>

American League Central Division

</summary>

Detroit Tigers


Minnesota Twins

Chicago White Sox

Cleveland Indians

Kansas City Royals

</details>



Use to create an expanding and contracting element that you can use to hide details without JavaScript

More Semantic HTML Tags

Address

```
<address>  
  Written by:<br/>  
  <a href="/people/show/23">Timothy Fisher</a>, <br/>  
  Address: 25296 Hunter Lane, Flat Rock, MI 48134 <br/>  
  Phone: 555-1212  
</address>
```

Address applies to the nearest Article or Body tag.

Prior to HTML5 the Address element applied to the document/body as a whole

More Semantic HTML Tags

Data Attributes

```
<div class="car" data-brand="ford" data-model="mustang">  
  <button class="fire">  
</div>
```

//Using DOM's `getAttribute()` property

```
var brand=mydiv.getAttribute("data-brand") //returns "ford"  
mydiv.setAttribute("data-brand", "mazda") //changes "data-brand" to "mazda"  
mydiv.removeAttribute("data-brand") //removes "data-brand" attribute entirely
```

//Using JavaScript's `dataset` property

```
var brand=mydiv.dataset.brand //returns "ford"  
mydiv.dataset.brand='mazda' //changes "data-brand" to "mazda"  
mydiv.dataset.brand=null //removes "data-brand" attribute
```

Custom data attribs were always possible but prior to HTML5 they would cause validation errors.

More Semantic HTML Tags

Section, hgroup, Article

```
<article>
  <hgroup>
    <h1>Mobile Phones</h1>
    <h2>Different Smart Phones</h2>
  </hgroup>
  <p>Some of the more popular mobile smart phones</p>
  <section>
    <h1>Apple iPhone</h1>
    <p>A popular smart phone from Apple.</p>
  </section>
  <section>
    <h1>Android-based Phones</h1>
    <p>A series of smart phones that use the Google Android operating system.</p>
  </section>
</article>
```

These elements replace many of your divs

More Semantic HTML Tags

Figure and Figure Caption

```
<figure>  
    
  <figcaption>Cool Ninja Guy</figcaption>  
</figure>
```



Cool Ninja Guy

The browser can position the caption for you

More Semantic HTML Tags

Menu and Command

```
<menu label="Hero List">  
  <command type="radio" radiogroup="herolist" label="Spiderman">  
  <command type="radio" radiogroup="herolist" label="Superman">  
  <command type="radio" radiogroup="herolist" label="Batman">  
</menu>
```

a simple radio button group

More Semantic HTML Tags

Menu (continued)

```
<menu type="toolbar">
  <li>
    <menu label="File">
      <button type="button" onclick="file_new()">New...</button>
      <button type="button" onclick="file_open()">Open...</button>
      <button type="button" onclick="file_save()">Save...</button>
      <button type="button" onclick="file_saveas()">Save As...</button>
    </menu>
  </li>
  <li>
    <menu label="Edit">
      <button type="button" onclick="edit_copy()">Copy...</button>
      <button type="button" onclick="edit_cut()">Cut...</button>
      <button type="button" onclick="edit_paste()">Paste...</button>
    </menu>
  </li>
</menu>
```



Media

Media Tags

`<video src="ironman.ogg" />`

Automatically show native controls


`<video src="ironman.ogg" controls />`



<http://www.youtube.com/html5>

Media Tags

```
<video controls/>  
  <source src="ironman.mp4" />  
  <source src="ironman.ogg" />  
</video>
```




Specify multiple source elements to support more browsers
(i.e. mp4 will work in Safari, ogg will work in Firefox)

Media Tags

```
<audio src="teenage_dream.mp3"></audio>
```

```
<audio controls>  
  <source src="teenage_dream.mp3"/>  
  <source src="teenage_dream.ogg"/>  
</audio>
```



Provides a download link for non-supporting browsers:


```
<audio src="teenage_dream.ogg" autoplay controls loop>  
  <a href="teenage_dream.ogg">download</a>  
</audio>
```

Input and validation

Input Types

`<input type="email" />`

tel	datetime
search	date
email	range
url	color




Unsupported browsers default to text type

Future browsers will display appropriate UI controls

Input Types

Input Type Range + Datalist


```
<input type="range" min="-100" max="100" value="0"  
      step="10" name="power" list="powers">  
<datalist id="powers">  
  <option value="0">  
  <option value="-30">  
  <option value="30">  
  <option value="+50">  
</datalist>
```



Input Types

File Upload Multiple


`<input type=file multiple>`



Input Types

Datalist

```
<input list="movies" />  
<datalist id="movies">  
  <option>The Dark Knight</option>  
  <option>Spiderman 3</option>  
  <option>X-Men</option>  
</datalist>
```



The image shows a web browser interface with a text input field. A dropdown menu is open, displaying three options: 'The Dark Knight', 'Spiderman 3', and 'X-Men'. The first option, 'The Dark Knight', is highlighted with a yellow background.

Used to provide Auto Complete feature

Form Validation

```
<input name="custname" required>
```

```
<script>  
    form.checkValidity();  
</script>
```

The image shows a web form with the following fields and validation messages:

- Username:** Contains the text "blogfreakz". A red message bubble says "This field is required."
- Password:** An empty field. A red message bubble says "This field is required."
- Password Confirmation:** An empty field.
- Speciality:** A group of checkboxes: ☒ jQuery, ☒ JavaScript, ☐ Rails, ☒ PHP, ☒ Wordpress, ☒ Other. A red message bubble says "Select between 1 and 3 checkboxes."
- About you:** Contains the text "CakePHP lover jQuery fans".
- Submit Button:** A button labeled "(Try to) Submit".

By adding 'required' attribute you can take advantage of validity checking without custom JavaScript.

Form Validation

Custom Validation

```
<label>Gender: </label>
<input name="gender" type="text" oninput="check(this)">

<script>
  function check(input) {
    if (input.value != "male" && input.value != "female") {
      input.setCustomValidity("'" + input.value + "' is not a gender.");
    }
    else {
      // input is good - reset error message
      input.setCustomValidity("");
    }
  }
</script>
```

Storage and offline

Offline Applications

Detect Online or Offline

```
window.addEventListener("online", function() {  
    do_something();  
}, true);
```

```
window.addEventListener("offline", function() {  
    do_something();  
}, true);
```



Local / Session Storage

```
sessionStorage.setItem(key, value);  
sessionStorage.getItem(key);
```

```
localStorage.setItem(key, value);  
localStorage.getItem(key);
```



Save key/value pairs to a client-side data store implemented by browser

Session store expires when the browser is closed

WebSQL Storage

A set of APIs to manipulate client-side databases using SQL

// open/create a database

```
var db = openDatabase(db_name, version, db_desc, est_size);
```

// create a table and insert some data

```
db.transaction(function (tx) {  
    tx.executeSql('CREATE TABLE foo (id unique, text)');  
    tx.executeSql('INSERT INTO foo (id, text) VALUES (1, "synergies")');  
});
```

// select data and display it

```
tx.executeSql('SELECT * FROM foo', [], function (tx, results) {  
    var len = results.rows.length, i;  
    for (i = 0; i < len; i++) {  
        alert(results.rows.item(i).text);  
    }  
});
```



Offline Applications

Offline Applications using manifest

`<html manifest="cache.manifest">`

provide a cache.manifest file:

```
CACHE MANIFEST
clock.html
clock.css
clock.js
```

uses **MIME** type:
text/cache-manifest



Run a web application in offline mode, disconnected from Internet

Of course your app will still have failures if it tries to pull live data from the Internet

Other new
features

Editable Content



Turn any element into an editable area


```
<script>  
    document.getElementById('notepad').contentEditable = true;  
</script>
```

Draggable

```
<div draggable="true"></div>
```

```
// set data to access at target  
addEventListener(div, "dragstart", function(e) {  
    e.dataTransfer.setData('foo', 'bar');  
}, true);
```

```
// access data from dragged object  
addEventListener(div, 'dragend', function(e) {  
    e.dataTransfer.getData('foo');  
}, true);
```



HTML5 drag and drop should work across frames, and **across browser windows**.

HTML5 drag and drop also allows users to drag and drop data **to and from non-web applications**, i.e. out of the browser or into the browser

Native GeoLocation

Build location-aware apps without access to native mobile apis

```
navigator.geolocation.getCurrentPosition(  
  function(position) {  
    // display position  
  }  
);
```




Canvas

A complete drawing and animation API

```
<canvas id="square">  
  fallback content  
</canvas>
```

```
<script>  
  // create basic filled square  
  canvas = canvas.getElementById('square');  
  context = canvas.getContext('2d');  
  context.fillStyle = "#000000";  
  context.fillRect(0, 0, 100, 100);  
</script>
```



<http://www.theopensourcery.com/keepopen/2010/html5-canvas-demo/>

<http://www.benjoffe.com/code/demos/canvascape/>

Cross-Domain Messaging




// sender

```
var o = document.getElementsByTagName('iframe')[0];  
o.contentWindow.postMessage('Hello world', 'http://b.example.org/');
```

// recipient

```
addEventListener(window, "message", function(e){  
    document.getElementById("rcvd_message").innerHTML = e.origin + " said: " + e.data;  
});
```


Web Sockets



- Opens a persistent connection to the server
- Can be used for server to browser push
- Restricted communication to origin server
- Eliminates need to poll for data

```
var ws = new WebSocket("ws://friendfeed.com/websocket");  
ws.onopen = function() {  
    ws.send("This is a message from the browser to the server");  
};  
ws.onmessage = function(event) {  
    alert("The server sent a message: " + event.data);  
};
```

Web Workers

- Provide “threads” for JavaScript execution
- Don't have access to DOM or page.
- Have to communicate through postMessage API



Web Workers

In the Browser

// Create a Web Worker

```
var worker = new Worker("worker.js");
```

// Post a message to the Web Worker

```
worker.postMessage(0);
```

// Triggered by postMessage in the Web Worker

```
worker.onmessage = function(evt) {  
    // evt.data is the values from the Web Worker  
    alert(evt.data);  
};
```

// Catch Web Worker error

```
worker.onerror = function(evt) {  
    alert(evt.data);  
};
```



Web Workers

In the Web Worker

```
// Triggered by postMessage in the page  
onmessage = function(evt) {  
    // evt.data will be 0 here  
    for (var i=evt.data, k=1000001; i<k; i++) {  
        // Continually sends data back  
        postMessage(i);  
    };  
};
```



History API


JavaScript API for moving through browser history

`window.history.back();`
`window.history.forward();`

`window.history.go(2);`

`window.history.length;`

`window.history.pushState(data, title, url);`
`window.history.replaceState(data, title, url);`



Less Header Code

Pre HTML5:

```
<!DOCTYPE HTML PUBLIC "-//W3C//Dtd HTML 4.01 Transitional//EN" "http://www.w3.org/tr/html4/loose.dtd">
```

```
<html>
```

```
  <head>
```

```
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
```

```
    <title>Awesome Stuff</title>
```

```
  </head>
```

```
...
```

With HTML5:

```
<!DOCTYPE HTML>
```

```
<html>
```

```
  <head>
```

```
    <meta charset="utf-8">
```

```
    <title>Awesome Stuff</title>
```

```
  </head>
```

```
...
```


No Need for Type Attribute

Pre HTML5:

```
<script type="text/javascript" src="script.js"> </script>  
<link type="text/css" href="style.css"></link>
```

With HTML5:

```
<script src="script.js"> </script>  
<link href="style.css"></link>
```

Recommended Sites

<http://html5.timothyfisher.com>

<http://www.HTML5test.com>

<http://html5demos.com>

<http://caniuse.com>