



Java: Clonazione

Clonazione

La clonazione...

Ovvero: come costruire una copia
(probabilmente che ritorni true su equals?)

Metodo clone di Object

`protected Object clone()`
throws `CloneNotSupportedException`

Creates and returns a copy of this object. The precise meaning of "copy" may depend on the class of the object.

The general intent is that, for any object `x`,

- the expression: `x.clone() != x` will be `true`,
- and that the expression: `x.clone().getClass() == x.getClass()` will be `true`, but these are not absolute requirements.
- While it is typically the case that: `x.clone().equals(x)` will be `true`, this is not an absolute requirement.

```
public class Test {  
    public static void main(String []a){new Test();}
```

```
Test() {
```

```
    P p1=new P();
```

```
    p1.x=1;
```

```
    p1.y=2;
```

```
    P p2=p1;
```

```
    P p3=(P) (p1.clone()); // NO! Metodo protected!
```

```
    System.out.println(p3);
```


```
}
```

```
}
```

```
class P {  
    int x; int y;  
    public String toString() {  
        return ("x="+x+" ; y="+y);  
    }  
}
```

clone per la classe P

```
class P implements Cloneable {  
...  
    public Object clone() {  
        try {  
            return super.clone();  
        } catch (CloneNotSupportedException e) {  
            System.err.println("Implementation error");  
            System.exit(1);  
        }  
        return null; //qui non arriva mai }  
    }  
}
```



Copia bit a bit

```
public class Test {  
    public static void main(String []a){new Test();}  
    Test() {  
        P p1=new P(); p1.x=5; p1.y=6;  
        P p2=p1;  
        P p3=p1.clone();  
        System.out.println(p1);  
        System.out.println(p2);  
        System.out.println(p3);  
        p1.x=7  
        System.out.println(p1);  
        System.out.println(p2);  
        System.out.println(p3);  
    }  
}
```

Main di test

x=5 ; y=6

x=5 ; y=6

x=5 ; y=6

x=7 ; y=6

x=7 ; y=6

x=5 ; y=6

Class V

```
class V implements Cloneable {
    int x[];
    V(int s) {
        x=new int[s];
        for (int k=0;k<x.length;k++) x[k]=k;
    }
    public String toString() {
        String s="";
        for (int k:i;) s=s+x[k]+" ";
        return s;
    }
    ... // clone definito come prima
}
```

Main di test

```
public class Test {  
    public static void main(String []a){new Test();}  
  
    Test() {  
        V p1=new V(5);  
        V p2=p1.clone();  
        System.out.println(p1);  
        System.out.println(p2);  
        p1.x[0]=9;  
        System.out.println(p1);  
        System.out.println(p2);  
    }  
}
```

0	1	2	3	4
0	1	2	3	4
9	1	2	3	4
9	1	2	3	4



```
class V implements Cloneable {
    int x[]; V(int s) {...} public String toString() {...}
    public Object clone() {
        Object tmp=null;
        try {
            tmp=super.clone();
        } catch (CloneNotSupportedException e) {
            e.printStackTrace(); return null;
        }
        ((V) tmp).x=new int[x.length];
        for (int k:x) ((V) tmp).x[k]=x[k];
        return tmp;
    }
}
```

Main di test


```
public class Test {  
    public static void main(String []a){new Test();}  
    Test() {  
        V p1=new V(5);  
        V p2=p1.clone();  
        System.out.println(p1);  
        System.out.println(p2);  
        p1.x[0]=9;  
        System.out.println(p1);  
        System.out.println(p2)  
    }  
}
```

0	1	2	3	4
0	1	2	3	4
9	1	2	3	4
0	1	2	3	4

Copia superficiale (shallow copy)



Copia profonda (deep copy)





Shallow vs. Deep copy

`super.clone()` (la clone di Object)

Effettua una SHALLOW COPY

Per ottenere una DEEP COPY occorre modificare il risultato.

Ogni volta che ho delle referenze tra le variabili di istanza, devo chiedermi se voglio fare una copia della referenza o dell'oggetto!



C++ Copy Constructor

Versione 1

```
#include <iostream>
using namespace std;
class Line{
public:
    Line( int len );           // simple constructor
    ~Line();                  // destructor
};
```

Member functions definitions

```
Line::Line(int len) {  
    cout << "Constructor for object at " << this << endl;  
}
```

```
Line::~~Line(void) {  
    cout << "Destructor called for " << this << endl;  
}
```


main

```
// Main function for the program
int main( ) {
    Line * line = new Line(10);
    cout<<"line : "<<line<<endl;
    return 0;
}
```

OUTPUT:

Constructor for object at 0x7f9169c00080

line : 0x7f9169c00080

**Allocazione dinamica
di memoria
(Heap)**

main

```
// Main function for the program
int main( ) {
    Line line2(10);
    cout<<"line2 : "<<&line<<endl;
    return 0;
}
```

**Allocazione automatica
di memoria
(Stack)**

OUTPUT:

Constructor for object at 0x7ffeeb7b8990

line2 : 0x7ffeeb7b8990

Destructor called for 0x7ffeeb7b8990

main

```
void display(Line obj) {  
    cout << "In display : " << &obj << endl;  
}
```

```
// Main function for the program
```

```
int main( ) {  
    Line * line = new Line(10);  
    cout << "line : " << line << endl;  
    display(* line);  
    return 0;  
}
```

**Allocazione dinamica
di memoria nel main,
automatica in display**

OUTPUT:

Constructor for object at 0x7feefc600000

line : 0x7feefc600000

In display : 0x7ffedfcfb978

Destructor called for 0x7ffedfcfb978

main

```
// Main function for the program
```

```
int main( ) {  
    Line line2(10);  
    cout<<"line2 : "<<&line<<endl;  
    display(line2);  
    return 0;  
}
```

**Allocazione automatica
di memoria**

OUTPUT:

Constructor for object at 0x7ffee1099990

line2 : 0x7ffee1099990

In display : 0x7ffee1099978

Destructor called for 0x7ffee1099978

Destructor called for 0x7ffee1099990

Versione 2

```
#include <iostream>
using namespace std;
class Line{
public:
    Line( int len );           // simple constructor
    ~Line();                  // destructor
    int getLength( void );
private:
    int *ptr;
};
```

Member functions definitions

```
Line::Line(int len) {  
    cout << "Constructor for object at " << this << endl;  
    ptr=new int;  
    *ptr=len;  
    cout << "Constructor allocating ptr at " << ptr<< endl;  
}
```

```
Line::~~Line(void) {  
    cout << "Destructor called for " << this << endl;  
    cout << "Freeing memory! at " << ptr<< endl;  
    delete ptr;  
}
```

main

```
// Main function for the program
```

```
int main( ) {
```

```
    Line * line = new Line(10);
```

```
    cout<<"line : "<<line<<endl;
```

```
    display(* line);
```

```
    return 0;
```

```
}
```

```
void display(Line obj) {  
    cout "In display : "<< &obj << endl;  
}
```

**Sembra tutto ok...
Ma c'è un problema.
Dove?**

OUTPUT:

Constructor for object at 0x7ff5d6500000

Allocating memory for ptr at 0x7ff5d6500010

line : 0x7ff5d6500000

In display : 0x7ffee8590988

Destructor called for 0x7ffee8590988

Freeing memory! at 0x7ff5d6500010

main

```
// Main function for the program
```

```
int main( )
```

```
Line line2(10);
```

```
cout<<"line2 : "<<&line<<endl;
```

```
display(line2);
```

```
return 0;
```

```
}
```

**E adesso l'effetto
del problema si
vede proprio...**

OUTPUT:

Constructor for object at 0x7ffeed78990

Allocating memory for ptr at 0x7ff8e6500000

line2 : 0x7ffeed78990

In display : 0x7ffeed78978

Destructor called for 0x7ffeed78978

Freeing memory! at 0x7ff8e6500000

Destructor called for 0x7ffeed78990

Freeing memory! at 0x7ff8e6500000

copyconstructorexample(76664,0x7fffb7923380) malloc

*** error for object 0x7ff8e6500000: pointer being

freed was not allocated

Come fa una copia degli oggetti il sistema?

Bit a bit...

e come facciamo a sistemarlo?

Con il **Copy constructor!**

Copy constructor

```
Line::Line(const Line &obj)
{
    cout << "Copy constructor: original at " << &obj <<
        " copy at " << this << endl;

    ptr = new int;
    *ptr = *obj.ptr; // copy the value
    cout << "original ptr at " << ptr <<
        " copy of ptr at " << obj.ptr << endl;
}
```

main

// Main function for the program

```
int main( )
```

```
    Line line2(10);
```

```
    cout<<"line2 : "<<&line<<endl;
```

```
    display(line2);
```

```
    return 0;
```

```
}
```

Ora è a posto!

OUTPUT:

Constructor for object at 0x7ffee9461990

Allocating memory for ptr at 0x7fafd5d00000

line2 : 0x7ffee9461990

Copy constructor: original at 0x7ffee9461990

copy at 0x7ffee9461978

original ptr at 0x7fafd5d00010

copy of ptr at 0x7fafd5d00000

In display : 0x7ffee9461978

Destructor called for 0x7ffee9461978

Freeing memory! at 0x7fafd5d00010

Destructor called for 0x7ffee9461990

Freeing memory! at 0x7fafd5d00000

In C++...

Quando definite una classe implementate **SEMPRE SUBITO:**

- Costruttore
- Distruttore
- Copy constructor!